

## Ladylux Plus Dual Spray Pull-Out, 33 737 - Kitchen/Bar /Basin Tap

[Print](#) Page 1

### Main Image



### Description

- -LIMITED AVAILABILITY-
- Dual Spray Pull-Out
- 360° swivel spout
- Dual spray control - switches back and forth between regular flow and spray
- SpeedClean anti-lime system
- Ceramic cartridge
- 56" extractable hose
- 10 3/8" spout reach
- Quick installation system
- Stainless steel braided flexible supplies
- Integral check valves
- Single hole installation
- Installation note: For full handle movement when mounted in front of a wall or backsplash, this faucet must be installed with no less than 3 1/4" of clearance between the faucet and backsplash or wall, unless the faucet is installed with the handle facing forward (handle opposite the wall).
- IAPMO File #1750

### Finishes

	33 737 OOO Starlight Chrome \$449.00
	33 737 IBO Chrome/Soft Black \$449.00
	33 737 DCO SuperSteel \$589.00

### Flow Rate

2.2 gpm at 60 psi, 2.5 gpm at 80 psi (9.5 lpm)

### Code Compliance

- ASME/ANSI A112.18.M


- ANSI/NSF Standard 61
- ADA Compliant

GROHE AMERICA, INC \* 241 COVINGTON DRIVE, BLOOMINGDALE, IL 60108 \* 630-582-7711 \* FAX: 630-582-7722

## /Basin Tap

Print Page 2

## Dimensional Drawing




GROHE AMERICA, INC \* 241 COVINGTON DRIVE, BLOOMINGDALE, IL 60108 \* 630-582-7711 \* FAX: 630-582-7722

## /Basin Tap

Print Page 3

## Exploded View with Spare Parts List



Pos No.	Spare Part Description	Product No.	Pcs.
	<b>33 737</b>		
1	Lever handle	46 309	1
2	Cap	46 311	1
3	Ceramic cartridge	46 048	1
4	Guide ring	05 380	1
5	Slip ring	04 954	1
6	Hand held spray	46 298	1
7	Spray hose	46 092	1
8	Pressure spring	07 240	1
9	Quick coupling	46 315	1
10	Mounting kit	46 345	1
11	Vacuum breaker	46 137	1
	(for models prior to 2006)		
	<b>Special Accessories</b>		
	10" Euro escutcheon	07 552	1

GROHE AMERICA, INC \* 241 COVINGTON DRIVE, BLOOMINGDALE, IL 60108 \* 630-582-7711 \* FAX: 630-582-7722